AP1850e, AP1840e Single Direction Vibratory Plates





The battery-operated vibratory plates

The AP1850e and AP1840e battery-powered vibratory plates by Wacker Neuson operate entirely free of emissions and are therefore suitable for many sensitive areas of application. With a battery runtime, that is sufficient for the compaction work on a full working day the AP1850e and AP1840e open up new areas of applications. They are in no way inferior to their conventionally operated relatives in terms of performance. The battery plates are available with or without water tank and sprinkling system.

- Large area compaction capacity (> 800 m²), one battery charge last for a full working day
- Proven electric motor without V-belt so completely maintenance-free and therefore cost-saving
- Emission-free operation protects the operator on all construction sites and opens new fields of applications in the interior and in emission-regulated areas (inner city districts)
- Low energy costs: savings of around 70% compared to a gasoline plate of the same weight class
- Battery and charger are modular and can also be used for our battery rammers

AP1850e, AP1840e Technical specifications

| | AP1850we - with water tank | AP1850e - no water tank | AP1840we - with water tank | AP1840e - no water tank | |
|--|----------------------------|-------------------------|----------------------------|-------------------------|--|
| Operating data | | | | | |
| Operating weight kg | 107 | 97 | 103 | 93 | |
| Centrifugal force kN | 18 | 18 | 18 | 18 | |
| Operating width mm | 500 | 500 | 400 | 400 | |
| Frequency Hz | 98 | 98 | 98 | 98 | |
| Hand-arm vibrations m/s ² | 4 | 4 | 3.2 | 3.2 | |
| Advance travel m/min | 27 | 27 | 27 | 27 | |
| Surface capacity m²/h | 810 | 810 | 648 | 648 | |
| Range per battery charge (BP1000) m ² | 810 | 810 | 648 | 648 | |
| Range per battery charge (BP1400) m ² | 1,134 | 1,134 | 907 | 907 | |
| Battery | | | | | |

| | BP1000 | BP1400 |
|-------------------|-----------------|-----------------|
| Operating data | | |
| Battery | | |
| Type of battery | Li-Ion | Li-Ion |
| Weight kg | 9.3 | 9.6 |
| L x W x H mm | 220 x 290 x 194 | 220 x 290 x 194 |
| Rated voltage V | 51 | 51 |
| Energy content Wh | 1,008 | 1,400 |

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright $\ensuremath{\mathbb{C}}$ 2021 Wacker Neuson SE.