



**WACKER  
NEUSON**  
*all it takes!*

## HPU

1000291913

[Home](#) >> [Catalog](#) >> [Products](#) >> [Excavators](#) >> [Tracked Excavators](#) >> [Tracked Conventional Tail Excavators](#) >> **HPU**

## HPU

Material number 1000291913

Electro-hydraulic power unit HPU8 for the emission-free auxiliary drive of the WN crawler excavator 803.



## Product details

- Plug & Play-Connection
- Compact and easy to transport

## Technical specifications

### HPU

#### HYDRAULIC

Operating pressure hydraulics	190,0 bar
Flow rate	20 l/min
Tank capacity	9 l

#### MECHANICAL DETAILS

Length	930 mm
Width	720 mm
Height	1.000 mm
Operating weight (min.-max.)	192 kg
Operating weight	192,0 kg

#### ELECTRICAL - OUTPUT DETAILS

Nominal current	16,00 A
Nominal voltage	400 V
Nominal power [P]	7,50 kW
Phase	3 ~

#### SHIPPING AND STORAGE

Shipping weight	192,00 kg
-----------------	-----------

## SHIPPING AND STORAGE

Shipping weight	423,3 lb
-----------------	----------

---

## ELECTRICAL - OUTPUT DETAILS

Nominal current	16,00 A
-----------------	---------

---

Nominal voltage	400 V
-----------------	-------

---

Nominal power [P]	7,50 kW
-------------------	---------

---

Phase	3 ~
-------	-----

---

## HYDRAULIC

Operating pressure hydraulics	2.755,0 psi
-------------------------------	-------------

---

Flow rate	5,3 gal/mi
-----------	------------

---

Tank capacity	2,4 gal US
---------------	------------

---

## MECHANICAL DETAILS

Length	36,6 "
--------	--------

---

Width	28,3 "
-------	--------

---

Height	39,4 "
--------	--------

---

Operating weight (min.-max.)	423,3 lb
------------------------------	----------

---

Operating weight	423,3 lb
------------------	----------

---

**Please Note**

This product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the started power may vary due to specific operating conditions. Subject to alterations and errors expected. Applicable also to illustrations.

Copyright © 2023 Wacker Neuson SE