

## 880

Wheel Loaders 1.0 - 1.5 m<sup>3</sup>



### The elite among wheel loaders

The wheel loaders of the 80-series by Kramer set high standards in terms of technology, performance and comfort. Other plus points are versatility in use, optimal power to weight ratio and exceptional performance statistics.

- One-piece frame and all-wheel steering
- Hydraulic quick coupler system and parallel-controlled loading system
- Particularly spacious panoramic cab with the highest level of operator comfort
- Efficient drive and low operating costs
- Variety of options for a large range of uses

**880**

 Wheel Loaders 1.0 - 1.5 m<sup>3</sup>
**Technical specifications**

## Operating data

Bucket capacity (standard bucket)	1,5 m <sup>3</sup>
Operating weight	8.400 kg

## Engine / Motor

Engine / Motor manufacturer	Deutz
Engine performance	88 kW

## Power transmission

Travel speed	20 km/h
Travel speed (optional)	35 km/h
Differential lock	100% connectable
Standard tires	15.5-25

## Steering and operating hydraulics


Flow rate (pump)	140 l/min
Pressure (maximum)	270 bar
Flow rate (optional)	150 l/min

## Kinematics

Tipping load (with bucket)	5.400 kg
Payload (S=1.25)	3.500 kg

Additional technical data is available in the detailed brochure in the informational material section

## Dimensions



A	Height	2.950 mm
B	Length	6.550 mm
C	Width	2.240 mm
D	Ground clearance	450 mm
E	Wheelbase	2.300 mm
F	Center of front axle to tip of teeth	2.500 mm
G	Center of rear axle to end of vehicle	1.750 mm
H	Bucket width	2.300 mm
I	Bucket pivot point	3.780 mm
J	Overhead loading height	3.530 mm
K	Dumping height	2.900 mm
L	Dump reach	820 mm
	Stack height	3.470 mm

Turning radius (over tyres)

3.450 mm

---

**Information on suitable accessories can be found on our website.**

The right to make changes is reserved in the interests of ongoing further developments. You can find more information on the engine power in the operator's manual. The actual power output figures may vary due to specific operating conditions.

Information on suitable accessories can be found on our website. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations. Copyright © 2014 Kramer-Werke GmbH.